

FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name FLINT EXTRA FUNGICIDE

Product code (UVP) 06549284

SDS Number 102000013006

PCP Registration No. 34962

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Reproductive toxicity: Effects on or via lactation

Labelling in accordance with Part 3 of the Hazardous Products Regulations

Hazard statements

May cause harm to breast-fed children.

Precautionary statements

Obtain special instructions before use.

Avoid contact during pregnancy/ while nursing.

Do not breathe dust or mist.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.



FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

IF exposed or concerned: Get medical advice/ attention.

Hazards Not Otherwise Classified (HNOC)

No health hazards not otherwise classified. No physical hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

Trifloxystrobin 141517-21-7 42.6

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.



FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx),

Hydrogen fluoride

Advice for firefighters

Special protective

equipment for firefighters s

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Contain the spread of the

fire-fighting media.

Specific hazards from the substance or mixture which can increase the fire

Flash point >100 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Keep

unauthorized people away. Isolate hazard area.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.



FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away

from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Trifloxystrobin	141517-21-7	2.7 mg/m3		OES BCS*
		(SK-SEN)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.



FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If General protective measures

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form suspension

Colour white to light beige

Odour chalk-like

Odour Threshold No data available

Hq 6.5 - 8.5 (100 %) (23 °C)

Melting point/range No data available **Boiling Point** No data available

Flash point > 100 °C

Flammability No data available **Auto-ignition temperature** No data available Thermal decomposition No data available

Minimum ignition energy Not applicable Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limit No data available Lower explosion limit No data available No data available Vapour pressure **Evaporation rate** No data available Relative vapour density No data available No data available Relative density **Density** 1.14 g/cm³ (20 °C)

Water solubility miscible

Partition coefficient: n-Trifloxystrobin: log Pow: 4.5 (25 °C)



FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

octanol/water

Viscosity, dynamic 500 - 1,000 mPa.s (25 °C)

Viscosity, kinematic

Oxidizing properties

No data available

No data available

Not applicable

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materialsNo incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Ingestion, Inhalation

Immediate Effects

Eye May cause temporary eye irritation.Skin May be harmful in contact with skin.

Ingestion Not expected to produce significant adverse effects when

recommended use instructions are followed.

Inhalation May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (male/female combined Rat) > 3,000 mg/kg
Acute inhalation toxicity LC50 (male/female combined Rat) > 1.994 mg/l

Exposure time: 4 h

Highest attainable concentration.

Determined in the form of liquid aerosol.



FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

Acute dermal toxicity LD50 (male/female combined Rat) > 4,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

No eye irritation (Rabbit)

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - single exposure

Trifloxystrobin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

Assessment developmental toxicity

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Aspiration hazard



FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

Based on available data, the classification criteria are not met.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.015 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.016 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient trifloxystrobin.

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) 0.0053 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin. EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

Biodegradability Trifloxystrobin:

Not rapidly biodegradable

Koc Trifloxystrobin: Koc: 2377

Bioaccumulation Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.

Mobility in soil Trifloxystrobin: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Trifloxystrobin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.



FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN)

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.



FLINT EXTRA FUNGICIDE

Version 1.0 / CDN Revision Date: 10/18/2023 102000013006 Print Date: 10/19/2023

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 34962

PMRA Information:

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Hazard statements: May cause eye irritation.

Harmful if absorbed through skin.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations



FLINT EXTRA FUNGICIDE

 Version 1.0 / CDN
 Revision Date: 10/18/2023

 102000013006
 Print Date: 10/19/2023

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 2* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: New Safety Data Sheet.

Revision Date: 10/18/2023

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.