

HUSKIE PRE 1/15

 Version 4.0 / CDN
 Revision Date: 11/28/2024

 102000053753
 Print Date: 11/29/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name HUSKIE PRE Product code (UVP) 87315703

SDS Number 102000053753

PCP Registration No. 35077

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Acute toxicity(Oral): Category 3
Acute toxicity(Inhalation): Category 4

Skin irritation: Category 2 Skin sensitisation: Category 1 Aspiration hazard: Category 1 Carcinogenicity: Category 2 Reproductive toxicity: Category 2

Specific target organ toxicity - repeated exposure: Category 2



HUSKIE PRE

Version 4.0 / CDN 102000053753

Revision Date: 11/28/2024 Print Date: 11/29/2024

Labelling in accordance with Part 3 of the Hazardous Products Regulations







Signal word: Danger

Hazard statements

Toxic if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

Harmful if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe gas/ mist/vapours/ spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

Rinse mouth.

Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water/ soap.

Take off contaminated clothing and wash before reuse.

If skin irritation or rash occurs: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF exposed or concerned: Get medical advice/ attention.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

102000053753



Print Date: 11/29/2024

HUSKIE PREVersion 4.0 / CDN

Revision Date: 11/28/2024

Hazardous Component Name	CAS-No.	Concentration % by weight
Bromoxynil octanoate, heptanoate mixed ester		35.1
Pyrasulfotole Propylene carbonate	365400-11-9	2.2
Propylene carbonate	108-32-7	10 – 30
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	7 – 13
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	1335202-81-7	1 – 5
2-Ethylhexanol	104-76-7	1 – 5
Naphthalene	91-20-3	0.5 - 1.5

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Aspiration may cause pulmonary oedema and pneumonitis.

Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.



HUSKIE PRE

Version 4.0 / CDN Revision Date: 11/28/2024 102000053753 Print Date: 11/29/2024

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

104.5 °C Flash point

Auto-ignition temperature 356 °C / 672.8 °F Lower explosion limit No data available **Upper explosion limit** No data available **Explosivity** Not explosive

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.



HUSKIE PRE 5/15

Version 4.0 / CDN Revision Date: 11/28/2024 102000053753 Print Date: 11/29/2024

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away

from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Bromoxynil octanoate	1689-99-2	0.21 mg/m3 (SK-SEN)		OES BCS*
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	11 2010	CAD ON OEL
(Non-aerosol.)				
Solvent Naphtha (petroleum), heavy aromatic (Vapor.)	64742-94-5	250 mg/m3 (15 MIN ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	03 2014	CAD MB OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	525 mg/m3 (TWA)	11 2010	CAD ON OEL



HUSKIE PRE

6/15 Version 4.0 / CDN Revision Date: 11/28/2024 102000053753 Print Date: 11/29/2024

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	01 2020	CAD ON OEL
(Non-aerosol.)				
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	01 2021	CAD MB OEL
(Non-aerosol.)				
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	08 2020	CAD AB OEL
(Vapor.)	04740.04.5	000 / 0	0.4.0000	OFL (OUE)
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	04 2022	OEL (QUE)
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	200 mg/m3 (TWA)	06 2022	CAD BC OEL
(Non-aerosol.)				
2-Ethylhexanol	104-76-7	5 ppm (TWA)	01 2022	CAD MB OEL
Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	10 2006	CAD AB OEL
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	10 2006	CAD AB OEL
Naphthalene	91-20-3	10 ppm (TWA)	07 2007	CAD BC OEL
Naphthalene	91-20-3	10 ppm (8 HR ACL)	05 2009	CAD SK OEL
Naphthalene	91-20-3	15 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Naphthalene	91-20-3	10 ppm (TWA)	03 2011	CAD MB OEL
Naphthalene	91-20-3	10 ppm (TWA)	11 2010	CAD ON OEL
Naphthalene	91-20-3	10 ppm (TWA)	03 2020	OEL (QUE)
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

Formulated product

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.



HUSKIE PRE 7/15

 Version 4.0 / CDN
 Revision Date: 11/28/2024

 102000053753
 Print Date: 11/29/2024

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form Liquid, clear
Colour beige to brown

Odour aromatic

Odour Threshold No data available

pH 3.0 - 4.5 (10 %) (23 °C) (deionized water)

Melting point/rangeNo data availableBoiling PointNo data available

Flash point 104.5 °C

Flammability No data available

Auto-ignition temperature 356 °C

Thermal decomposition No data available

Minimum ignition energy No data available

Self-accelarating

decomposition temperature

(SADT)

> 75 °C

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative density1.140 (20 °C)

Density 1.14 g/cm³ (20 °C)

Water solubility No data available



HUSKIE PRE 8/15

Version 4.0 / CDN Revision Date: 11/28/2024 102000053753 Print Date: 11/29/2024

Partition coefficient: n-

octanol/water

Bromoxyniloctanoate: log Pow: 5.4

Bromoxynilheptanoate: log Pow: 5.9 Pyrasulfotole: log Pow: -1.362

Viscosity, dynamic No data available

Viscosity, kinematic 20.30 mm²/s (20 °C) Shear rate of 20/sec

9.24 mm²/s (40 °C) Shear rate of 20/sec

Oxidizing properties No oxidizing properties

Explosivity Not explosive

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Inhalation, Skin contact, Eye contact

Immediate Effects

Eye Not expected to produce significant adverse effects when

recommended use instructions are followed.

Skin Causes skin irritation. May cause sensitisation by skin contact.

IngestionVery toxic if swallowed.InhalationMay be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) 237 - 505 mg/kg



HUSKIE PRE 9/15

Version 4.0 / CDN Revision Date: 11/28/2024 102000053753 Print Date: 11/29/2024

Acute inhalation toxicity LC50 (Rat) > 2.11 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

Acute dermal toxicity LD50 (male/female combined Rat) > 2,000 mg/kg

Skin corrosion/irritation Moderate skin irritation. (Rabbit)

Serious eye damage/eye

irritation

Mild eye irritation. (Rabbit)

Respiratory or skin Skin: Sensitising (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Bromoxyniloctanoate: Based on available data, the classification criteria are not met. Bromoxynilheptanoate: Based on available data, the classification criteria are not met.

Pyrasulfotole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Bromoxyniloctanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.

Bromoxynilheptanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans. Pyrasulfotole: May cause damage to organs through prolonged or repeated exposure.

Assessment mutagenicity

Bromoxyniloctanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Bromoxynilheptanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Pyrasulfotole was not genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Bromoxyniloctanoate caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Bromoxynilheptanoate caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Pyrasulfotole caused at high dose levels an increased incidence of tumours in the following organ(s): Cornea, urinary bladder. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

ACGIH

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	Group A3
2-Ethylhexanol	104-76-7	Group A3
Naphthalene	91-20-3	Group A3

NTP

Naphthalene 91-20-3

IARC

Solvent Naphtha (petroleum), heavy aromatic 64742-94-5 Overall evaluation: 3 OCGEN



HUSKIE PRE 10/15

Version 4.0 / CDN Revision Date: 11/28/2024 102000053753 Print Date: 11/29/2024

Solvent Naphtha (petroleum), heavy aromatic Solvent Naphtha (petroleum), heavy aromatic Naphtha (petroleum), heavy aromatic Naphthalene 64742-94-5 Overall evaluation: 3 OCGEN Overall evaluation: 2B

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Bromoxyniloctanoate did not cause reproductive toxicity in a two-generation study in rats. Bromoxynilheptanoate did not cause reproductive toxicity in a two-generation study in rats. Pyrasulfotole did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Bromoxyniloctanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxyniloctanoate caused developmental toxicity only at dose levels toxic to the dams.

Bromoxynilheptanoate caused developmental toxicity only at dose levels toxic to the dams. Bromoxynilheptanoate caused a delayed foetal growth, an increased incidence of non-specific malformations.

Pyrasulfotole did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.041 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.



HUSKIE PRE

Version 4.0 / CDN 102000053753

Revision Date: 11/28/2024 Print Date: 11/29/2024

LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient pyrasulfotole. LC50 (Cyprinodon variegatus (sheepshead minnow)) > 100 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient pyrasulfotole.

Chronic toxicity to fish Pimephales promelas (fathead minnow)

Early-life Stage 0.0049 mg/l

Exposure time: 35 d

The value mentioned relates to the active ingredient bromoxynil

octanoate.

Pimephales promelas (fathead minnow)

NOEC: 0.58 mg/l Exposure time: 35 d

The value mentioned relates to the active ingredient pyrasulfotole.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.046 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Daphnia magna (Water flea)) 0.031 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.

EC50 (Daphnia magna (Water flea)) > 100 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient pyrasulfotole.

Chronic toxicity to aquatic invertebrates

NOEC (Daphnia magna (Water flea)): 0.0036 mg/l

Exposure time: 21 d

The value mentioned relates to the active ingredient bromoxynil

octanoate.

NOEC (Daphnia magna (Water flea)): 12.8 mg/l

Exposure time: 21 d

The value mentioned relates to the active ingredient pyrasulfotole.

Toxicity to aquatic plants

ErC50 (Selenastrum capricornutum (green algae)) 0.22 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC10 (Selenastrum capricornutum (green algae)) 0.009 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Lemna gibba (gibbous duckweed)) > 0.073 mg/l



HUSKIE PRE 12/15

 Version 4.0 / CDN
 Revision Date: 11/28/2024

 102000053753
 Print Date: 11/29/2024

The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 29.8 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient pyrasulfotole.

EC50 (Skeletonema costatum) 15.7 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient pyrasulfotole.

NOEC (Skeletonema costatum) 6.4 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient pyrasulfotole.

EC50 (Lemna gibba (gibbous duckweed)) 0.110 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient pyrasulfotole.

NOEC (Lemna gibba (gibbous duckweed)) 0.00957 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient pyrasulfotole.

Biodegradability Bromoxyniloctanoate:

Not rapidly biodegradable Bromoxynilheptanoate: Not rapidly biodegradable

Pyrasulfotole:

Not rapidly biodegradable

Koc Bromoxyniloctanoate: Koc: 639

Bromoxynilheptanoate: Koc: ca. 600 Pyrasulfotole: Koc: 20 - 213; log Koc: 2.34

Bioaccumulation Bromoxyniloctanoate: Bioconcentration factor (BCF) 230

Does not bioaccumulate. Bromoxynilheptanoate: Does not bioaccumulate.

Pvrasulfotole:

Does not bioaccumulate.

Mobility in soil Bromoxyniloctanoate: Slightly mobile in soils

Bromoxynilheptanoate: Slightly mobile in soils Pyrasulfotole: Moderately mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Bromoxyniloctanoate: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Bromoxynilheptanoate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Pyrasulfotole: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).



HUSKIE PRE 13/15

Version 4.0 / CDN Revision Date: 11/28/2024 102000053753 Print Date: 11/29/2024

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 2902 Labels 6.1 Packaging group III

Marine pollutant Marine pollutant

Proper shipping name PESTICIDE, LIQUID, TOXIC, N.O.S.

(BROMOXYNIL, PYRASULFOTOLE)

49CFR

UN number 2902 Class 6.1 Packaging group III

Marine pollutant Marine pollutant

Proper shipping name PESTICIDES, LIQUID, TOXIC, N.O.S.

(BROMOXYNIL, NAPHTHALENE)

RQ Reportable Quantity is reached with 8,333 lb of product.

IMDG

UN number 2902
Class 6.1
Packaging group III
Marine pollutant YES

Proper shipping name PESTICIDE, LIQUID, TOXIC, N.O.S.

(BROMOXYNIL, PYRASULFOTOLE SOLUTION)

IATA

UN number 2902
Class 6.1
Packaging group III
Environm. Hazardous Mark NO



HUSKIE PRE 14/15

 Version 4.0 / CDN
 Revision Date: 11/28/2024

 102000053753
 Print Date: 11/29/2024

Proper shipping name PESTICIDE, LIQUID, TOXIC, N.O.S.

(BROMOXYNIL, PYRASULFOTOLE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information In accordance with TDG regulations 3.6(3) and 4.22 this

product does not require marine pollutant safety marks or shipping documentation reference when transported on land by

road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 35077

PMRA Information:

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Signal word: Danger!

Hazard statements: Poison.

Skin irritant.

Potential skin sensitizer. Fatal if swallowed.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number



HUSKIE PRE 15/15

Version 4.0 / CDN Revision Date: 11/28/2024 102000053753 Print Date: 11/29/2024

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 2* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 9: Physical and Chemical Properties. Reviewed and updated for general editorial purposes.

Revision Date: 11/28/2024

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.