

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

1/15
Revision Date: 03/05/2024
Print Date: 03/08/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name HUSKIE PRE
Product code (UVP) 87315703
SDS Number 102000053753
PCP Registration No. 35077

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc
#200, 160 Quarry Park Blvd, SE
Calgary, Alberta T2C 3G3
Canada
Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Skin sensitisation: Category 1
Aspiration hazard: Category 1
Skin irritation: Category 2
Carcinogenicity: Category 2
Reproductive toxicity: Category 2
Specific target organ toxicity - repeated exposure: Category 2
Acute toxicity(Oral): Category 3
Acute toxicity(Inhalation): Category 4

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

2/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Danger

Hazard statements

Toxic if swallowed.
May be fatal if swallowed and enters airways.
Causes skin irritation.
Harmful if inhaled.
May cause an allergic skin reaction.
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe gas/ mist/vapours/ spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.
Rinse mouth.
Do NOT induce vomiting.
IF ON SKIN: Wash with plenty of water/ soap.
Take off contaminated clothing and wash before reuse.
If skin irritation or rash occurs: Get medical advice/ attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF exposed or concerned: Get medical advice/ attention.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

3/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

| Hazardous Component Name | CAS-No. | Concentration % by weight |
|--|-------------|---------------------------|
| Bromoxynil octanoate, heptanoate mixed ester | | 35.1 |
| Pyrasulfotole | 365400-11-9 | 2.2 |
| Propylene carbonate | 108-32-7 | 15.0 |
| Solvent Naphtha (petroleum), heavy aromatic | 64742-94-5 | 11.2 |
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt | | 2.4 |
| 2-Ethylhexanol | 104-76-7 | 1.6 |
| Naphthalene | 91-20-3 | 1.2 |

SECTION 4: FIRST AID MEASURES

Description of first aid measures

| | |
|-----------------------|---|
| General advice | When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment. |
| Inhalation | Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately. |
| Skin contact | Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately. |
| Eye contact | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately. |
| Ingestion | Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended. |

Most important symptoms and effects, both acute and delayed

Symptoms Aspiration may cause pulmonary oedema and pneumonitis.

Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

4/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

| | |
|---|--|
| Unsuitable | High volume water jet |
| Special hazards arising from the substance or mixture | Dangerous gases are evolved in the event of a fire. |
| Advice for firefighters | |
| Special protective equipment for firefighters | In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing. |
| Further information | Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. |
| Specific hazards from the substance or mixture which can increase the fire | |
| Flash point | 104.5 °C |
| Auto-ignition temperature | 356 °C / 672.8 °F |
| Lower explosion limit | No data available |
| Upper explosion limit | No data available |
| Explosivity | Not explosive |

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

5/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|--|------------|---------------------------------------|---------|---------------|
| Bromoxynil octanoate | 1689-99-2 | 0.21 mg/m ³ (SK-SEN) | | OES BCS* |
| Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.) | 64742-94-5 | 200 mg/m ³ (TWA) | 11 2010 | CAD ON OEL |
| Solvent Naphtha (petroleum), heavy aromatic (Vapor.) | 64742-94-5 | 250 mg/m ³ (15 MIN ACL) | 05 2009 | CAD SK OEL |
| Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.) | 64742-94-5 | 200 mg/m ³ (TWA) | 03 2014 | CAD MB OEL |
| Solvent Naphtha (petroleum), heavy aromatic | 64742-94-5 | 525 mg/m ³ (TWA) | 11 2010 | CAD ON OEL |
| Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.) | 64742-94-5 | 200 mg/m ³ (TWA) | 01 2020 | CAD ON OEL |
| Solvent Naphtha | 64742-94-5 | 200 mg/m ³ | 01 2021 | CAD MB |

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

6/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

| | | | | |
|--|------------|--|---------|---------------|
| (petroleum), heavy aromatic (Non-aerosol.) | | (TWA) | | OEL |
| Solvent Naphtha (petroleum), heavy aromatic (Vapor.) | 64742-94-5 | 200 mg/m ³ (TWA) | 08 2020 | CAD AB OEL |
| Solvent Naphtha (petroleum), heavy aromatic | 64742-94-5 | 200 mg/m ³ (TWA) | 04 2022 | OEL (QUE) |
| Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.) | 64742-94-5 | 200 mg/m ³ (TWA) | 06 2022 | CAD BC OEL |
| 2-Ethylhexanol | 104-76-7 | 5 ppm (TWA) | 01 2022 | CAD MB OEL |
| Naphthalene | 91-20-3 | 52 mg/m ³ /10 ppm (TWA) | 07 2009 | CAD AB OEL |
| Naphthalene | 91-20-3 | 79 mg/m ³ /15 ppm (STEL) | 07 2009 | CAD AB OEL |
| Naphthalene | 91-20-3 | 10 ppm (TWA) | 09 2011 | CAD BC OEL |
| Naphthalene | 91-20-3 | 15 ppm (STEL) | 09 2011 | CAD BC OEL |
| Naphthalene | 91-20-3 | 10 ppm (TWA) | 03 2011 | CAD MB OEL |
| Naphthalene | 91-20-3 | 10 ppm (TWA) | 11 2010 | CAD ON OEL |
| Naphthalene | 91-20-3 | 15 ppm (STEL) | 11 2010 | CAD ON OEL |
| Naphthalene | 91-20-3 | 10 ppm (8 HR ACL) | 05 2009 | CAD SK OEL |
| Naphthalene | 91-20-3 | 15 ppm (15 MIN ACL) | 05 2009 | CAD SK OEL |
| Naphthalene | 91-20-3 | 79 mg/m ³ /15 ppm (STEL) | 11 2011 | OEL (QUE) |
| Naphthalene | 91-20-3 | 52 mg/m ³ /10 ppm (TWA) | 11 2011 | OEL (QUE) |
| Naphthalene | 91-20-3 | 10 ppm (TLV) | | OES BCS* |

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

7/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

| | |
|------------------------------------|---|
| | recommendations. |
| Hand protection | Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton) |
| Eye protection | Tightly fitting safety goggles |
| Skin and body protection | Wear long-sleeved shirt and long pants and shoes plus socks. |
| General protective measures | Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|---|--|
| Form | Liquid, clear |
| Colour | beige to brown |
| Odour | aromatic |
| Odour Threshold | No data available |
| pH | 3.0 - 4.5 (10 %) (23 °C) (deionized water) |
| Melting point/range | No data available |
| Boiling Point | No data available |
| Flash point | 104.5 °C |
| Flammability | No data available |
| Auto-ignition temperature | 356 °C |
| Thermal decomposition | No data available |
| Minimum ignition energy | No data available |
| Self-accelarating decomposition temperature (SADT) | > 75 °C |
| Upper explosion limit | No data available |
| Lower explosion limit | No data available |
| Vapour pressure | No data available |
| Evaporation rate | No data available |
| Relative vapour density | No data available |
| Relative density | No data available |
| Density | 1.14 g/cm ³ (20 °C) |
| Water solubility | No data available |

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

8/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

| | |
|---|---|
| Partition coefficient: n-octanol/water | Bromoxyniloctanoate: log Pow: 5.4 Bromoxynilheptanoate: log Pow: 5.9 Pyrasulfotole: log Pow: -1.362 |
| Viscosity, dynamic | No data available |
| Viscosity, kinematic | No data available |
| Oxidizing properties | No oxidizing properties |
| Explosivity | Not explosive |
| Other information | Further safety related physical-chemical data are not known. |

SECTION 10: STABILITY AND REACTIVITY

| | |
|---|--|
| Reactivity | Stable under normal conditions. |
| Chemical stability | Stable under recommended storage conditions. |
| Possibility of hazardous reactions | No hazardous reactions when stored and handled according to prescribed instructions. |
| Conditions to avoid | Extremes of temperature and direct sunlight. |
| Incompatible materials | No incompatible materials known. |
| Hazardous decomposition products | No decomposition products expected under normal conditions of use. |

SECTION 11: TOXICOLOGICAL INFORMATION

| | |
|---|---|
| Exposure routes | Ingestion, Inhalation, Skin contact, Eye contact |
| Immediate Effects | |
| Eye | Not expected to produce significant adverse effects when recommended use instructions are followed. |
| Skin | Causes skin irritation. May cause sensitisation by skin contact. |
| Ingestion | Very toxic if swallowed. |
| Inhalation | May be harmful if inhaled. |
| Information on toxicological effects | |
| Acute oral toxicity | LD50 (Rat) 237 - 505 mg/kg |
| Acute inhalation toxicity | LC50 (Rat) > 2.11 mg/l |

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

9/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

Exposure time: 4 h
Determined in the form of liquid aerosol.
highest concentration tested

| | |
|--|---|
| Acute dermal toxicity | LD50 (male/female combined Rat) > 2,000 mg/kg |
| Skin corrosion/irritation | Moderate skin irritation. (Rabbit) |
| Serious eye damage/eye irritation | Mild eye irritation. (Rabbit) |
| Respiratory or skin sensitisation | Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA) |

Assessment STOT Specific target organ toxicity – single exposure

Bromoxyniloctanoate: Based on available data, the classification criteria are not met.
Bromoxynilheptanoate: Based on available data, the classification criteria are not met.
Pyrasulfotole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Bromoxyniloctanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.
Bromoxynilheptanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.
Pyrasulfotole : May cause damage to organs through prolonged or repeated exposure.

Assessment mutagenicity

Bromoxyniloctanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Bromoxynilheptanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Pyrasulfotole was not genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Bromoxyniloctanoate caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.
Bromoxynilheptanoate caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.
Pyrasulfotole caused at high dose levels an increased incidence of tumours in the following organ(s): Cornea, urinary bladder. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

ACGIH

| | | |
|---|------------|----------|
| Solvent Naphtha (petroleum), heavy aromatic | 64742-94-5 | Group A3 |
| 2-Ethylhexanol | 104-76-7 | Group A3 |
| Naphthalene | 91-20-3 | Group A3 |

NTP

| | |
|-------------|---------|
| Naphthalene | 91-20-3 |
|-------------|---------|

IARC

| | | |
|---|------------|-----------------------------|
| Solvent Naphtha (petroleum), heavy aromatic | 64742-94-5 | Overall evaluation: 3 OCGEN |
| Solvent Naphtha (petroleum), heavy aromatic | 64742-94-5 | Overall evaluation: 3 OCGEN |

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

10/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

Solvent Naphtha (petroleum), heavy aromatic 64742-94-5 Overall evaluation: 3 OCGEN
Naphthalene 91-20-3 Overall evaluation: 2B

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Bromoxynil octanoate did not cause reproductive toxicity in a two-generation study in rats.
Bromoxynil heptanoate did not cause reproductive toxicity in a two-generation study in rats.
Pyrasulfotole did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Bromoxynil octanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate caused developmental toxicity only at dose levels toxic to the dams.
Bromoxynil heptanoate caused developmental toxicity only at dose levels toxic to the dams.
Bromoxynil heptanoate caused a delayed foetal growth, an increased incidence of non-specific malformations.
Pyrasulfotole did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information

No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.041 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient bromoxynil octanoate.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient bromoxynil heptanoate.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l
Exposure time: 96 h

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

11/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

| | |
|--|---|
| | <p>The value mentioned relates to the active ingredient pyrasulfotole. LC50 (Cyprinodon variegatus (sheepshead minnow)) > 100 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient pyrasulfotole.</p> |
| Chronic toxicity to fish | <p>Pimephales promelas (fathead minnow) Early-life Stage 0.0049 mg/l Exposure time: 35 d The value mentioned relates to the active ingredient bromoxynil octanoate.</p> <p>Pimephales promelas (fathead minnow) NOEC: 0.58 mg/l Exposure time: 35 d The value mentioned relates to the active ingredient pyrasulfotole.</p> |
| Toxicity to aquatic invertebrates | <p>EC50 (Daphnia magna (Water flea)) 0.046 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient bromoxynil octanoate.</p> <p>EC50 (Daphnia magna (Water flea)) 0.031 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient bromoxynil heptanoate.</p> <p>EC50 (Daphnia magna (Water flea)) > 100 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient pyrasulfotole.</p> |
| Chronic toxicity to aquatic invertebrates | <p>NOEC (Daphnia magna (Water flea)): 0.0036 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient bromoxynil octanoate.</p> <p>NOEC (Daphnia magna (Water flea)): 12.8 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient pyrasulfotole.</p> |
| Toxicity to aquatic plants | <p>ErC50 (Selenastrum capricornutum (green algae)) 0.22 mg/l Exposure time: 120 h The value mentioned relates to the active ingredient bromoxynil octanoate.</p> <p>EC10 (Selenastrum capricornutum (green algae)) 0.009 mg/l Exposure time: 120 h The value mentioned relates to the active ingredient bromoxynil octanoate.</p> <p>EC50 (Lemna gibba (gibbous duckweed)) > 0.073 mg/l The value mentioned relates to the active ingredient bromoxynil octanoate.</p> |

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

12/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

EC50 (Raphidocelis subcapitata (freshwater green alga)) 29.8 mg/l
Growth rate; Exposure time: 96 h
The value mentioned relates to the active ingredient pyrasulfotole.

EC50 (Skeletonema costatum) 15.7 mg/l
Growth rate; Exposure time: 96 h
The value mentioned relates to the active ingredient pyrasulfotole.

NOEC (Skeletonema costatum) 6.4 mg/l
Growth rate; Exposure time: 96 h
The value mentioned relates to the active ingredient pyrasulfotole.

EC50 (Lemna gibba (gibbous duckweed)) 0.110 mg/l
Growth rate; Exposure time: 7 d
The value mentioned relates to the active ingredient pyrasulfotole.

NOEC (Lemna gibba (gibbous duckweed)) 0.00957 mg/l
Growth rate; Exposure time: 7 d
The value mentioned relates to the active ingredient pyrasulfotole.

Biodegradability

Bromoxyniloctanoate:
Not rapidly biodegradable
Bromoxynilheptanoate:
Not rapidly biodegradable
Pyrasulfotole:
Not rapidly biodegradable

Koc

Bromoxyniloctanoate: Koc: 639
Bromoxynilheptanoate: Koc: ca. 600
Pyrasulfotole: Koc: 20 - 213; log Koc: 2.34

Bioaccumulation

Bromoxyniloctanoate: Bioconcentration factor (BCF) 230
Does not bioaccumulate.
Bromoxynilheptanoate:
Does not bioaccumulate.
Pyrasulfotole:
Does not bioaccumulate.

Mobility in soil

Bromoxyniloctanoate: Slightly mobile in soils
Bromoxynilheptanoate: Slightly mobile in soils
Pyrasulfotole: Moderately mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment

Bromoxyniloctanoate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Bromoxynilheptanoate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Pyrasulfotole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Environmental precautions

Do not allow to get into surface water, drains and ground water.
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

13/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|-------------------------------|---|
| Product | Dispose in accordance with all local, state/provincial and federal regulations. |
| Contaminated packaging | Consult state and local regulations regarding the proper disposal of container. Follow advice on product label and/or leaflet. |

SECTION 14: TRANSPORT INFORMATION

TDG

| | |
|----------------------|---|
| UN number | 2902 |
| Labels | 6.1 |
| Packaging group | III |
| Marine pollutant | Marine pollutant |
| Proper shipping name | PESTICIDE, LIQUID, TOXIC, N.O.S. (BROMOXYNIL, PYRASULFOTOLE) |

49CFR

| | |
|----------------------|--|
| UN number | 2902 |
| Class | 6.1 |
| Packaging group | III |
| Marine pollutant | Marine pollutant |
| Proper shipping name | PESTICIDES, LIQUID, TOXIC, N.O.S. (BROMOXYNIL, NAPHTHALENE) |
| RQ | Reportable Quantity is reached with 8,333 lb of product. |

IMDG

| | |
|----------------------|--|
| UN number | 2902 |
| Class | 6.1 |
| Packaging group | III |
| Marine pollutant | YES |
| Proper shipping name | PESTICIDE, LIQUID, TOXIC, N.O.S. (BROMOXYNIL, PYRASULFOTOLE SOLUTION) |

IATA

| | |
|--------------------------|---|
| UN number | 2902 |
| Class | 6.1 |
| Packaging group | III |
| Environm. Hazardous Mark | NO |
| Proper shipping name | PESTICIDE, LIQUID, TOXIC, N.O.S. (BROMOXYNIL, PYRASULFOTOLE SOLUTION) |

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

14/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

requirements.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 35077

PMRA Information:

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Signal word: Danger!

Hazard statements: Poison.
Skin irritant.
Potential skin sensitizer.
Fatal if swallowed.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

| | |
|---------|---|
| 49CFR | Code of Federal Regulations, Title 49 |
| ACGIH | US. ACGIH Threshold Limit Values |
| ATE | Acute toxicity estimate |
| CAS-Nr. | Chemical Abstracts Service number |
| CERCLA | Comprehensive Environmental Response, Compensation, and Liability Act |
| EINECS | European inventory of existing commercial substances |
| ELINCS | European list of notified chemical substances |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| N.O.S. | Not otherwise specified |
| NTP | US. National Toxicology Program (NTP) Report on Carcinogens |
| OECD | Organization for Economic Co-operation and Development |
| TDG | Transportation of Dangerous Goods |
| TWA | Time weighted average |
| UN | United Nations |
| WHO | World health organisation |

SAFETY DATA SHEET



HUSKIE PRE

Version 2.1 / CDN
102000053753

15/15

Revision Date: 03/05/2024
Print Date: 03/08/2024

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 2* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,
* = chronic health hazard

Reason for Revision: New Safety Data Sheet.

Revision Date: 03/05/2024

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.